
#### **Cambridgeshire & Peterborough CCG CVD Indicator Spine Charts**



### Prevention



### Prevalence




Primary care

Worse outcome


Better outcome

Opportunity


% patients with CHD whose last BP reading is 150/90 or less % patients with CHD whose cholesterol is 5mmol/l or less % CHD patients record of aspirin % CHD patients treated with a beta blocker % of patients with CHD who have had influenza immunsation % of MI patients treated with an ACE inhibitor % of patients with HF confirmed by an echocardiogram % of patients with HF due to LVD, treated with ACE inhibitor % of patients with HF due to LVD, treated with ACE + beta-blocker % of patients with stroke/TIA last BP is 150/90 or less % of patients with stroke/TIA record of cholesterol % of patients with stroke/TIA cholesterol is 5mmol/l or less % of patients with stroke/TIA had influenza immunisation % of stroke patients with a record an anti-platelet agent taken % of new stroke/TIA patients referred further investigation % of patients with hypertension record of BP % of patients with hypertension BP is 150/90 or less % AF patients stroke risk assessed using CHADS2 AF & CHADS2 score of 1, % treated anti-coagulation drug therapy AF & CHADS2 score > 1, % treated anti-coagulation drug therapy



# Secondary care



# Secondary care continued



### Social care

% of stroke patients discharged to usual place of residence